




SAFETY DATA SHEET
according to 1907/2006/EC, Article 31

Page 1/9

Масло Gazpromneft Premium N 5W-40

Revision 0
Revision date 01.06.2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY	
1.1. Product Identifier	
Product name	Масло Gazpromneft Premium N 5W-40
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Description	Engine oil
1.3. Details of the supplier of the safety data sheet	“Gazpromneft – lubricants”, Ltd, 125A, Profsoyuznaya str., Moscow, 117647, Russia. Lubricants@gazprom-neft.ru Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax +7 495 921-48-63
Only Representative	REACHLaw Ltd. Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland Tel. +358(0) 9 412 3055 Email: sds@reachlaw.fi
1.4. Emergency telephone number	1-760-476-3962 (America) 1-760-476-3961 (Europe, Middle East&Africa) 1-760-476-3960 (Asia Pacific): Global Response Access Code: 333497
2. HAZARDS IDENTIFICATION	
2.1. Classification of the substance or mixture	
Regulation (EC) No 1272/2008 (CLP):	Eye Irrit.2 - Causes serious eye irritation.
2.2. Label elements:	
Regulation (EC) No 1272/2008 (CLP):	Pictograms and Signal Words:  Warning H319 Causes serious eye irritation. P264 Wash hands thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. Contains: calcium long chain alkaryl sulphonate May produce an allergic reaction.
Ingredient(s) with unknown acute toxicity:	None

Масло Gazpromneft Premium N 5W-40

Revision 0
Revision date 01.06.2015

2.3 Other hazards

	<p>No other hazards No PBT/vPvP ingredients are present. Avoid uses not listed in section 1, unless technical expert advice. It's precautionary reduce chemical exposure, in any case.</p>
--	--

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

	Not applicable: this product is regulated as a mixture.
--	---

3.2 Mixtures (EC) No 1272/2008

Chemical Name	Index.No	CAS No	EC No	Reach Registration Number	Conc. %w/w	Classification
Distillates (petroleum), hydrotreated heavy paraffinic; base oil - unspecified	-	64742-54-7	265-157-1	-	70-80	Product is not classified
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601-36-0023	5-10	Product is not classified
Polyolefin polyamine succinimide, polyol	-	proprietary	Polymer	proprietary	1-5	Aquatic Chronic 4, H413
Zinc dialkyl dithiophosphate	-	68649-42-3	272-028-3	01-2119657973-23-0000	1-1.5	Aquatic Chronic 2 H411; Eye Dam.1 H318
Calcium branched chain alkyl phenate sulfide	-	proprietary	291-829-9	01-2119524004-56-0000	1-1.5	Aquatic Chronic 4 H413
Alkaryl amine	-	proprietary	proprietary	*	0.5-1.0	Aquatic Chronic 4 H413
Calcium long chain alkaryl sulfonate	-	722503-68-6	Polymer	*	0.5-1.0	Aquatic Chronic4 H413; SkinSens. 1 H317
Alkenoic acid ester, borated	-	proprietary	proprietary	*	0.5-1.0	Aquatic Chronic 4H413; Skin Irrit.2 H315
Calcium long chain alkaryl sulfonate	-	proprietary	Polymer	*	0.1-0.5	Aquatic Chronic4 H413
Branched alkylphenol and Calcium branched alkylphenol	-	74499-35-7 & 132752-19-3	Polymer	*	0.1-0.5	Aquatic Chronic1 H410; Eye Irrit.2 H319; Repr. 1B H360; Skin Irrit.2 H315

*Not available or substance is not currently required for registration under REACH.

Description

	All base oils contained in this product have a value of < 3% w DMSO extract according to IP 346/92
--	--

Further information

	Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.
--	--

Масло Gazpromneft Premium N 5W-40

Revision 0

Revision date 01.06.2015

4. FIRST AID MEASURES	
4.1. Description of first aid measures	
Inhalation	Remove casualty to fresh air and keep warm and at rest.
Eye contact	Causes serious eye irritation. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.
Skin contact	Immediately take off all contaminated clothing. Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath). Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of water.
Ingestion	Do not induce vomiting, get medical attention showing the SDS and label hazardous.
4.2. Most important symptoms and effects, both acute and delayed	
Inhalation	No further relevant information available
Eye contact	Eye irritation. Eye damages
Skin contact	No further relevant information available.
Ingestion	No further relevant information available.
4.3. Indication of any immediate medical attention and special treatment needed	
	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
5. FIRE-FIGHTING MEASURES	
5.1. Extinguishing media	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO ₂); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.
5.2. Special hazards arising from the substance or mixture	Do not inhale explosion and combustion gases. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	Wear suitable respiratory equipment when necessary. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.
6. ACCIDENTAL RELEASE MEASURES	
6.1. Personal precautions, protective equipment and emergency procedures	Wear personal protection equipment. Ensure adequate ventilation in the working area. Avoid contact with spilled material. Remove persons to safety. See protective measures under point 7 and 8.

Масло Gazpromneft Premium N 5W-40

Revision 0

Revision date 01.06.2015

6.2. Environmental precautions	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.
6.3. Methods and material for containment and cleaning up	Use appropriate techniques such as applying noncombustible absorbent materials or pumping. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4. Reference to other sections	See also section 8 and 13
7. HANDLING AND STORAGE	
7.1. Precautions for safe handling	Avoid contact with skin and eyes, inhalation of vapors and mists. Do not eat or drink while working. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. See also section 8 for recommended protective equipment.
7.2. Conditions for safe storage, including any incompatibilities	Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.
7.3. Specific end use(s)	Recommendation(s) None in particular Industrial sector specific solutions: None in particular
8. EXPOSURE CONTROLS/PERSONAL PROTECTION	
8.1. Control parameters	
Base oil - unspecified - lubricating oils	WEL 8-hr limit mg/m ³ : 5.4 (aerosol)
Distillates (petroleum), hydrotreated heavy paraffinic; base oil - unspecified	WEL 8-hr limit mg/m ³ : 5.0 (aerosol)
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.
8.2.2. Individual protection measures:	Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
Eye/face protection	Use close fitting safety goggles, don't use eye lens.
Skin protection-Hand protection	Protection for skin: Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Масло Gazpromneft Premium N 5W-40

Revision 0

Revision date 01.06.2015

Respiratory protection	Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites
Hygienic and Technical measures	Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Homogenous, viscous liquid
Odour	Characteristic
pH	Not applicable
Pour point	< - 38 °C
Initial boiling point and boiling range	Not applicable
Flash point	> 200 °C (Cleveland Open Cup, ASTM D 92)
Evaporation rate	Not applicable
Upper/lower flammability	Not determined
Vapour density	Not applicable
Vapour pressure	No data available
Relative density	No data available
Solubility	Soluble in hydrocarbons; Insoluble in water
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature	> 378 °C
Decomposition temperature	Not applicable
Viscosity (at 100 °C)	13,50-15,50 mm ² /s (ASTM D 445)
Explosive properties	Not applicable
Oxidizing properties	Not determined
Volatile Organic compounds - VOCs	Not applicable

Other information	
Miscibility	Not applicable
Conductivity	Not applicable

10. STABILITY AND REACTIVITY

10.1. Reactivity	This product has no significant hazards with respect to reactivity. Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions. Will not decompose if stored and used as recommended.
10.3. Passivity of hazardous reactions	Will not occur. Stable under normal conditions.
10.4. Conditions to avoid	Elevated temperatures, sparks and open flames.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	Burning produces irritating, toxic and obnoxious fumes.

Масло Gazpromneft Premium N 5W-40

Revision 0

Revision date 01.06.2015

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information on main components of the mixture:

Acute Toxicity of base oils	Acute oral/rat LD ₅₀ > 5000 mg/kg Acute dermal/rabbit LD ₅₀ > 2000 mg/kg Acute inhalation/rat LC ₅₀ > 5000 mg/m ³
Distillates (petroleum), hydrotreated heavy paraffinic; base oil - unspecified	Acute oral/rat LD ₅₀ > 2000 mg/kg Acute skin/ rabbit LD ₅₀ > 2000 mg/kg
Acute Toxicity of zinc dialkyl dithiophosphate	Acute skin/rat LD ₅₀ > 2000 mg/kg Acute oral/rat LD ₅₀ = 2230 mg/kg
Acute Toxicity of the mixture	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Not Applicable
Serious eye damage /irritation	Eye Irrit.2 - Causes serious eye irritation.
Respiratory or skin sensitization	May cause sensitization by skin contact. Contains: calcium long chain alkaryl sulphonate. May produce an allergic reaction.
Carcinogenicity	The product is not carcinogenic. Evaluation has been made through data of components. Base oils passed the test IP 346 (DMSO extractible compounds less than 3%) (Note H, L).
Germ cell mutagenicity	Not Applicable
Reproductive toxicity	Not Applicable
STOT-single exposure	Not Applicable
STOT-repeated exposure	Not Applicable
Aspiration hazard	Not considered an aspiration hazard.

12. ECOLOGICAL INFORMATION

12.1. Toxicity	Adopt good working practices, so that the product is not released into the environment.
-----------------------	---

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Info (toxicity)
70-80%	Distillates (petroleum), hydrotreated heavy paraffinic; base oil - unspecified	CAS: 64742-54-7 - EINECS: 265-157-1	EL50 a) Aquatic acute toxicity Worm > 10000 mg/L NOELR a) Aquatic acute toxicity Algae > 100 mg/L LLC a) Aquatic acute toxicity Fish > 100 mg/L NOELR b) Aquatic chronic toxicity Worm 10 mg/L NOELR b) Aquatic chronic toxicity Fish 10 mg/L
5-10 %	Base oil - unspecified - lubricating oils	CAS: 74869-22-0 - EINECS: 278-012-2	EL50 a) Aquatic acute toxicity Daphnia Magna > 10000 mg/L 48h NOELR a) Aquatic acute toxicity Algae > 100 mg/L 72h LL50 a) Aquatic acute toxicity Fish > 100 mg/L 96h NOELR b) Aquatic chronic toxicity Daphnia Magna = 10 mg/L 21 days NOELR b) Aquatic chronic toxicity Fish = 10 mg/L

Conclusion/Summary: Based on available data, the classification criteria are not met.

12.2. Persistence and degradability	Component Persistence/Degradability: Base oil - unspecified - lubricating oils : non-readily biodegradable
12.3. Bio accumulative potential	No data is available on this product.

Масло Gazpromneft Premium N 5W-40

Revision 0

Revision date 01.06.2015

12.4. Mobility in soil	Product floats on water (insoluble) and can entrap small organisms. The product could easily disperse in soil. Products have not been tested. Evaluation has been made through data of components.
12.5. Results of PBT and vPvB assessment	No PBT ingredients are present.
12.6. Other adverse effects	No Components with environmental hazard properties found.
13. DISPOSAL CONSIDERATIONS	
13.1. Waste treatment methods	
Disposal methods	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company.
Disposal of packaging	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
Further information	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
14. TRANSPORT INFORMATION	
Not classified as dangerous in the meaning of transport regulations.	
14.1. UN number	Not applicable.
14.2. UN proper shipping name	ADR-Shipping Name: not applicable. IATA-Technical name: not applicable. IMDG-Technical name: not applicable.
14.3. Transport hazard class(es)	ADR-Class: not applicable. IATA-Class: not applicable. IMDG-Class: not applicable.
14.4. Packing group	Not applicable.
14.5. Environmental hazards	Marine pollutant: No Environmental Pollutant: No
14.6. Special precautions for user	Not applicable.
ADR/RID	The product is not classified as dangerous for carriage.
IMDG	The product is not classified as dangerous for carriage.
IATA	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
15. REGULATORY INFORMATION	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Dispositions about directives 82/501/CE, 96/82/CE (Seveso bis), 2003/15/CE (Seveso ter): German Water Hazard Class. - N.A. Product non subject to Regulations.

Масло Gazpromneft Premium N 5W-40

Revision 0

Revision date 01.06.2015

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None
Chemical safety assessment	No data available on this product.
16. OTHER INFORMATION	
Text of Hazard statements in Section 3	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.
Legend to abbreviations and acronyms used in the safety data sheet:	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. CAS: Chemical Abstracts Service (division of the American Chemical Society). CLP: Classification, Labeling, Packaging. DMSO: Dimethyl sulfoxide. EC ₅₀ : Half Maximal Effective Concentration. EINECS: European Inventory of Existing Commercial Chemical Substances. IATA: International Air Transport Association. Air Transport Association" (IATA). IATA-DGR: Dangerous Goods Regulation by the "International LD ₅₀ : Lethal Dose to 50 % of a test population. LC ₅₀ : Lethal Concentration to 50 % of a test population. PBT: Persistent, Bioaccumulative and Toxic substance. STOT: Specific Target Organ Toxicity. vPvB: Very Persistent and Very Bioaccumulative. WEL: Workplace Exposure Limit.

Classification and procedure used to derived the classification for mixture according to Regulation EC 1272/2006 (CLP)

Classification according to Regulation EC 1272/2006 (CLP)	Classification procedure
Eye Irrit.2 - Causes serious eye irritation.	Calculation method.

Масло Gazpromneft Premium N 5W-40

Revision 0

Revision date 01.06.2015

Further information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
Revision	New version