


**SAFETY DATA SHEET**  
according to 1907/2006/EC, Article 31

**Масло G-Energy Expert L 10W-40**

<b>1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY</b>	
<b>1.1. Product Identifier</b>	
<b>Product name</b>	Масло G-Energy Expert L 10W-40
<b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b>	
<b>Description</b>	Engine oil
<b>1.3. Details of the supplier of the safety data sheet</b>	"Gazpromneft – lubricants", Ltd, 125A, Profsoyuznaya str., Moscow, 117647, Russia. <a href="mailto:Lubricants@gazprom-neft.ru">Lubricants@gazprom-neft.ru</a> Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax +7 495 921-48-63
<b>Only Representative</b>	REACHLaw Ltd. Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland Tel. +358(0) 9 412 3055 Email: <a href="mailto:sds@reachlaw.fi">sds@reachlaw.fi</a>
<b>1.4. Emergency telephone number</b>	1-760-476-3962 (America) 1-760-476-3961 (Europe, Middle East&Africa) 1-760-476-3960 (Asia Pacific): Global Response Access Code: 333497
<b>2. HAZARDS IDENTIFICATION</b>	
<b>2.1. Classification of the substance or mixture</b>	
<b>Regulation (EC) n. 1272/2008 (CLP)</b>	Eye Irrit. 2 Causes serious eye irritation.
<b>Adverse physicochemical, human health and environmental effects:</b>	No other hazards
<b>2.2. Label elements:</b>	
<b>Regulation (EC) No 1272/2008 (CLP):</b>	 <p><b>Warning</b>            H319 Causes serious eye irritation.            P280 Wear protective gloves/protective clothing/eye protection/face protection.            P337+P313 If eye irritation persists: Get medical advice/attention.            P264 Wash hands thoroughly after handling.</p>
<b>2.3 Other hazards</b>	
	No PBT Ingredients are present. No other hazards.

## Масло G-Energy Expert L 10W-40

Revision 0

Revision date 10.07.2015

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

	Not applicable: this product is regulated as a mixture.
--	---

#### 3.2 Mixtures (EC) No 1272/2008

Chemical Name	Index.No	CAS No	EC No	Reach Registration Number	Conc. %w/w	Classification
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601-36-0023	60-70	Product is not classified
Distillates (petroleum), hydrotreated heavy paraffinic; base oil unspecified	-	64742-54-7	265-157-1	01-2119484627-25	20-25	Asp. Tox. 1, H304
Zinc dialkyl dithiophosphate	-	68649-42-3	272-028-3	Proprietary	1-1.5	Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Chronic 2, H411
Calcium long-chain alkylphenate sulfide	-	Proprietary			0.5-1.0	Aquatic Chronic 4, H413
Alkaryl amine	-	Proprietary			0.5-1.0	Aquatic Chronic 4, H413
Organomolybdenum amide	-	Proprietary			0.5-1.0	Aquatic Chronic 2, H411

#### Description

	All base oils contained in this product have a value of < 3% w DMSO extract according to IP 346/92.
--	---

#### Further information

	Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.
--	--

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

<b>In case of inhalation:</b>	Remove casualty to fresh air and keep warm and at rest.
<b>In case of eye contact:</b>	After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.
<b>In case of skin contact:</b>	Immediately take off all contaminated clothing. Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath). Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of water.
<b>In case of ingestion:</b>	Do not induce vomiting, get medical attention showing the SDS and label hazardous.

**Масло G-Energy Expert L 10W-40**

Revision 0

Revision date 10.07.2015

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Inhalation</b>	No further relevant information available.
<b>Eye contact</b>	Eye irritation/Eye damages
<b>Skin contact</b>	Repeated or prolonged exposure may cause dermatitis.
<b>Ingestion</b>	No further relevant information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
--	--

**5. FIRE-FIGHTING MEASURES**

<b>5.1. Extinguishing media</b>	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO <sub>2</sub> ); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.
<b>5.2. Special hazards arising from the substance or mixture</b>	Burning produces irritating, toxic and obnoxious fumes. Combustion products highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion.
<b>5.3. Advice for firefighters</b>	Use suitable breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

**6. ACCIDENTAL RELEASE MEASURES**

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	Eliminate all sources of ignition in vicinity of spilled material. Ensure adequate ventilation of the working area. Surfaces contaminated with the product will become slippery. Wear personal protection equipment. See protective measures under point 7 and 8.
<b>6.2. Environmental precautions</b>	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.
<b>6.3. Methods and material for containment and cleaning up</b>	Use appropriate techniques such as applying noncombustible absorbent materials or pumping. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.
<b>6.4. Reference to other sections</b>	See also section 8 and 13

**7. HANDLING AND STORAGE**

<b>7.1. Precautions for safe handling</b>	Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working.
---	---

## Масло G-Energy Expert L 10W-40

Revision 0

Revision date 10.07.2015

<b>7.1. Precautions for safe handling</b>	See also section 8 for recommended protective equipment.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
<b>7.3. Specific end use(s)</b>	No further relevant information available.
<b>8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>	
<b>8.1. Control parameters</b>	
<b>Base oil - unspecified - lubricating oils</b>	WEL 8-hr limit mg/m <sup>3</sup> : 5.4 (aerosol)
<b>8.2. Exposure controls</b>	
<b>8.2.1. Appropriate engineering controls</b>	Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.
<b>8.2.2. Individual protection measures:</b>	Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
<b>Eye/face protection</b>	Eye protection: Safety Glasses.
<b>Skin protection-Hand protection</b>	<b>Protection for skin:</b> Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. <b>Protection for hands:</b> Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.
<b>Respiratory protection</b>	Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
<b>Hygienic and Technical measures</b>	Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product.
<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>	
<b>Appearance</b>	Homogenous, viscous liquid
<b>Odour</b>	Petroleum odor
<b>pH</b>	Not applicable
<b>Pour point</b>	< - 35 °C
<b>Initial boiling point and boiling range</b>	Not applicable
<b>Flash point</b>	>200 °C (Cleveland Open Cup, ASTM D 92)
<b>Evaporation rate</b>	Not applicable
<b>Upper/lower flammability</b>	181 / 226 °C
<b>Vapour density</b>	Not applicable
<b>Vapour pressure</b>	<0.01 kPa
<b>Relative density</b>	Not determined
<b>Solubility in water</b>	Insoluble

## Масло G-Energy Expert L 10W-40

Revision 0

Revision date 10.07.2015

<b>Partition coefficient: n-octanol/water</b>	Not determined
<b>Auto-ignition temperature</b>	>340 °C
<b>Decomposition temperature</b>	Not applicable
<b>Viscosity (at 100 °C)</b>	13,50-15,50 mm <sup>2</sup> /s (ASTM D 445)
<b>Explosive properties</b>	Not applicable
<b>Oxidizing properties</b>	Not determined
<b>Volatile Organic compounds - VOCs</b>	Not applicable

### Other information

<b>Miscibility</b>	Not applicable
<b>Conductivity</b>	Not applicable

### 10. STABILITY AND REACTIVITY

<b>10.1. Reactivity</b>	This product has no significant hazards with respect to reactivity. Stable under normal conditions
<b>10.2. Chemical stability</b>	Stable under normal conditions. Will not decompose if stored and used as recommended.
<b>10.3. Passivity of hazardous reactions</b>	Will not occur. Stable under normal conditions.
<b>10.4. Conditions to avoid</b>	Elevated temperatures, sparks and open flames.
<b>10.5. Incompatible materials</b>	Strong oxidizing agents.
<b>10.6. Hazardous decomposition products</b>	Burning produces irritating, toxic and obnoxious fumes.

### 11. TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Product / ingredient name	Acute Toxicity
Base oil - unspecified - lubricating oils	LD <sub>50</sub> Oral Rat > 5000 mg/kg LD <sub>50</sub> Skin Rabbit > 2000 mg/kg LC <sub>50</sub> Inhalation Rat > 5000 mg/m <sup>3</sup>
Distillates (petroleum), hydrotreated heavy paraffinic; base oil unspecified	LD <sub>50</sub> Oral Rat > 5000 mg/kg LD <sub>50</sub> Skin Rabbit > 2000 mg/kg LC <sub>50</sub> Inhalation Rat > 5000 mg/m <sup>3</sup>
Zinc dialkyl dithiophosphate	LD <sub>50</sub> Dermal Rat >2000 mg/kg LD <sub>50</sub> Oral Rat: 2230 mg/kg LD <sub>50</sub> Oral Rat :3100 mg/kg
Calcium long-chain alkylphenate sulfide	LD <sub>50</sub> Dermal Rabbit >2000 mg/kg LD <sub>50</sub> Oral Rat >5000 mg/kg
Alkaryl amine	LD <sub>50</sub> Oral Rat >5000 mg/kg LD <sub>50</sub> Oral Rat >5000 mg/kg
Organomolybdenum amide	LD <sub>50</sub> Dermal Rabbit >2000 mg/kg LD <sub>50</sub> Oral Rat >5000 mg/kg

**Conclusion/Summary:** Based on available data, the classification criteria are not met.

**Масло G-Energy Expert L 10W-40**

Revision 0

Revision date 10.07.2015

<b>Skin corrosion/irritation</b>	The product has not been tested. Evaluation has been made through data of components. Prolonged or repeated exposure may cause irritation to skin and mucous membranes.
<b>Serious eye damage /irritation</b>	Eye Irrit. 2 Causes serious eye irritation. The product has not been tested. Evaluation has been made through data of components.
<b>Respiratory or skin sensitization</b>	Product is not classified as a skin/respiratory sensitizer. Based on test data of the skin sensitizing ingredient/s at similar or higher concentrations than are present in this product.
<b>Carcinogenicity</b>	The product is not carcinogenic. Evaluation has been made through data of components. Base oils passed the test IP 346 (DMSO extractible compounds less than 3%) (Note H, L).
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT-single exposure</b>	Based on available data, the classification criteria are not met.
<b>STOT-repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

**12. ECOLOGICAL INFORMATION**

<b>12.1. Toxicity</b>	Adopt good working practices, so that the product is not released into the environment.
-----------------------	---

**Eco-Toxicological Information:****List of components with eco-toxicological properties:**

Quantity	Component	Ident. Numb	Ecotox Infos.
80-90 %	Base oil - unspecified - lubricating oils	CAS: 74869-22-0 - EINECS: 278-012-2	EL <sub>50</sub> a) Aquatic acute toxicity Daphnia Magna > 10000 mg/L 48h NOELR a) Aquatic acute toxicity Algae > 100 mg/L 72h LL <sub>50</sub> a) Aquatic acute toxicity Fish > 100 mg/L 96h NOELR b) Aquatic chronic toxicity Daphnia Magna = 10 mg/L 21 days NOELR b) Aquatic chronic toxicity Fish = 10 mg/L EL <sub>50</sub> a) Aquatic acute toxicity Daphnia Magna > 10000 mg/L 48h
0.5-1.0	Organomolybdenum amide	Proprietary	EC <sub>50</sub> Aquatic acute toxicity 1.5 mg/l Algae 72 hours Acute EC <sub>50</sub> 1.5 mg/l Daphnia 48 hours Acute LC <sub>50</sub> >10 mg/l Fish 96 hours Acute LC <sub>50</sub> 0.1 to 1 mg/l Fish 96 hours

**Conclusion/Summary:** Based on available data, the classification criteria are not met. The product is not expected to be harmful to aquatic organisms. The statement has been derived from the properties of the individual components.

<b>12.2. Persistence and degradability</b>	No date is available on this product. Base oil - unspecified - lubricating oils: non-readily biodegradable. Zinc dialkyl dithiophosphate: non-readily biodegradable.
<b>12.3. Bio accumulative potential</b>	No date is available on this product.
<b>12.4. Mobility in soil</b>	No date is available on this product.
<b>12.5. Results of PBT and vPvB assessment</b>	No PBT Ingredients are present.
<b>12.6. Other adverse effects</b>	No components with environmental hazard properties.

**Масло G-Energy Expert L 10W-40**

Revision 0

Revision date 10.07.2015

<b>13. DISPOSAL CONSIDERATIONS</b>	
<b>13.1. Waste treatment methods</b>	
<b>Disposal methods</b>	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company.
<b>Disposal of packaging</b>	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
<b>Further information</b>	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
<b>14. TRANSPORT INFORMATION</b>	
Not classified as dangerous in the meaning of transport regulations.	
<b>14.1. UN number</b>	Not applicable.
<b>14.2. UN proper shipping name</b>	Not applicable.
<b>14.3. Transport hazard class(es)</b>	Not applicable.
<b>14.4. Packing group</b>	Not applicable.
<b>14.5. Environmental hazards</b>	Marine pollutant: No Environmental Pollutant: No
<b>14.6. Special precautions for user</b>	Not applicable.
<b>ADR/RID</b>	The product is not classified as dangerous for carriage.
<b>IMDG</b>	The product is not classified as dangerous for carriage.
<b>IATA</b>	The product is not classified as dangerous for carriage.
<b>14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>15. REGULATORY INFORMATION</b>	
<b>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Dispositions about directives 82/501/CE, 96/82/CE (Seveso bis), 2003/15/CE (Seveso ter): German Water Hazard Class. - N.A. Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None
<b>Chemical safety assessment</b>	No data available on this product.
<b>16. OTHER INFORMATION</b>	
<b>Text of Hazard statements in Section 3</b>	H304- May be fatal if swallowed and enters airways. H315- Causes skin irritation. H318- Causes serious eye damage. H319- Causes serious eye irritation.

**Масло G-Energy Expert L 10W-40**Revision 0  
Revision date 10.07.2015

<b>Text of Hazard statements in Section 3</b>	H411- Toxic to aquatic life with long-lasting effects. H413-May cause long lasting harmful effects to aquatic life.
<b>Legend to abbreviations and acronyms used in the safety data sheet:</b>	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. CAS: Chemical Abstracts Service (division of the American Chemical Society). CLP: Classification, Labeling, Packaging. DMSO: Dimethyl sulfoxide. EC <sub>50</sub> : Half Maximal Effective Concentration. EINECS: European Inventory of Existing Commercial Chemical Substances. IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). LD <sub>50</sub> : Lethal Dose to 50 % of a test population. LC <sub>50</sub> : Lethal Concentration to 50 % of a test population PBT: Persistent, Bioaccumulative and Toxic substance. STOT: Specific Target Organ Toxicity. vPvB: Very Persistent and Very Bioaccumulative. WEL: Workplace Exposure Limit.

**Classification and procedure used to derived the classification for mixture according to Regulation EC 1272/2006 (CLP).**

<b>Classification according to Regulation EC 1272/2006 (CLP)</b>	<b>Classification procedure</b>
Eye Irrit. 2 Causes serious eye irritation.	Calculation method.

<b>Further information</b>	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
<b>Revision</b>	New version