




SAFETY DATA SHEET
according to 1907/2006/EC, Article 31

Page 1/8

Масло G-Profi MSH 10W-40

Revision 0
Revision date 20.08.2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY	
1.1. Product Identifier	
Product name	Масло G-Profi MSH 10W-40
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Description	Engine oil
1.3. Details of the supplier of the safety data sheet	“Gazpromneft – lubricants”, Ltd, 125A, Profsoyuznaya str., Moscow, 117647, Russia. Lubricants@gazprom-neft.ru Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax +7 495 921-48-63
Only Representative	REACHLaw Ltd. Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland Tel. +358(0) 9 412 3055 Email: sds@reachlaw.fi
1.4. Emergency telephone number	1-760-476-3962 (America) 1-760-476-3961 (Europe, Middle East&Africa) 1-760-476-3960 (Asia Pacific): Global Response Access Code: 333497
2. HAZARDS IDENTIFICATION	
2.1. Classification of the substance or mixture	
Regulation (EC) No 1272/2008 (CLP):	Eye Irrit. 2 Causes serious eye irritation. Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.
2.2. Label elements:	
Regulation (EC) No 1272/2008 (CLP):	Pictograms and Signal Words:  Warning H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P337+P313 If eye irritation persists: Get medical advice/attention. P501.A Dispose of contents/container in accordance with applicable regulations. P264 Wash hands thoroughly after handling.
Ingredient(s) with unknown acute toxicity:	None

Масло G-Profi MSH 10W-40Revision 0
Revision date 20.08.2015**2.3 Other hazards**

	No other hazards. No PBT/vPvP ingredients are present. Avoid uses not listed in section 1, unless technical expert advice.
--	-------------------------------------------------------------------------------------------------------------------------------

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

	Not applicable: this product is regulated as a mixture.
--	---------------------------------------------------------

3.2 Mixtures (EC) No 1272/2008

Chemical Name	Index.No	CAS No	EC No	Reach Registration Number	Conc. (%w/w)	Classification
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601-36-0023	50-55	Product is not classified
Distillates (petroleum), hydrotreated heavy paraffines	649-467-00-8	64742-54-7	265-157-1	01-2119484627-25	20-25	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffines	649-467-00-8	64742-54-7	265-157-1	01-2119484627-25	5-10	Product is not classified
Zinc dialkyl dithiophosphate	-	68649-42-3	272-028-3	proprietary	1-1.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phenol, 4-dodecyl	-	104-43-8	203-202-9	proprietary	0.1-1.0	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360F (Fertility) Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Description

	All base oils contained in this product have a value of < 3% w DMSO extract according to IP 346/92
--	----------------------------------------------------------------------------------------------------

Further information

	Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.
--	----------------------------------------------------------------------------------------------

4. FIRST AID MEASURES**4.1. Description of first aid measures**

Inhalation	Remove casualty to fresh air and keep warm and at rest.
In case of eyes contact:	Causes serious eye irritation. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.
In case of skin contact:	Immediately take off all contaminated clothing. Wash thoroughly the body (shower or bath). Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of water.
In case of Ingestion:	Do not induce vomiting, get medical attention showing the SDS and label hazardous.

Масло G-Profi MSH 10W-40Revision 0
Revision date 20.08.2015**4.2. Most important symptoms and effects, both acute and delayed**

Inhalation	No further relevant information available
Eye contact	Eye irritation. Eye damages
Skin contact	No further relevant information available.
Ingestion	No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
--	--------------------------------------------------------------------------------------------------------------------------------

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO ²); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.
5.2. Special hazards arising from the substance or mixture	Do not inhale explosion and combustion gases. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	Wear suitable respiratory equipment when necessary. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures	Wear personal protection equipment. Ensure adequate ventilation in the working area. Avoid contact with spilled material. Remove persons to safety. See protective measures under point 7 and 8.
6.2. Environmental precautions	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.
6.3. Methods and material for containment and cleaning up	Use appropriate techniques such as applying noncombustible absorbent materials or pumping. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.
6.4. Reference to other sections	See also section 8 and 13

7. HANDLING AND STORAGE

7.1. Precautions for safe handling	Avoid contact with skin and eyes, inhalation of vapors and mists. Do not eat or drink while working. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. See also section 8 for recommended protective equipment.
-------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Масло G-Profi MSH 10W-40

Revision 0

Revision date 20.08.2015

7.2. Conditions for safe storage, including any incompatibilities	Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
7.3. Specific end use(s)	Recommendation(s): None in particular Industrial sector specific solutions: None in particular
8. EXPOSURE CONTROLS/PERSONAL PROTECTION	
8.1. Control parameters	
Base oil - unspecified - lubricating oils	WEL 8-hr limit mg/m ³ : 5.4 (aerosol)
Distillates (petroleum), hydrotreated heavy paraffines	WEL 8-hr limit mg/m ³ : 5.0 (aerosol)
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.
8.2.2. Individual protection measures:	Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
Eye/face protection	Use close fitting safety goggles, don't use eye lens.
Skin protection-Hand protection	Use nitrile or neoprene gloves. Long sleeve shirt is recommended. Wear a chemically protective when contact with material may occur. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Launder contaminated clothing before reuse. Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.
Respiratory protection	Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
Hygienic and Technical measures	Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product.
9. PHYSICAL AND CHEMICAL PROPERTIES	
Appearance	Homogenous, viscous liquid
Odour	Characteristic
pH	Not applicable
Pour point	< - 35 °C
Initial boiling point and boiling range	Not applicable
Flash point	> 200 °C (Cleveland Open Cup, ASTM D 92)
Evaporation rate	Not applicable
Upper/lower flammability	186 °C / 227 °C
Vapour density	Not applicable
Vapour pressure	No data available
Relative density	No data available

Масло G-Profi MSH 10W-40

Revision 0

Revision date 20.08.2015

Solubility	Soluble in hydrocarbons; Insoluble in water
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature	> 344 °C
Decomposition temperature	Not applicable
Viscosity (at 100 °C)	14,00-16,00 mm ² /s (ASTM D 445)
Explosive properties	Not applicable
Oxidizing properties	Not determined
Volatile Organic compounds - VOCs	Not applicable
Other information	
Miscibility	Not applicable
Conductivity	Not applicable
10. STABILITY AND REACTIVITY	
10.1. Reactivity	This product has no significant hazards with respect to reactivity. Stable under normal conditions
10.2. Chemical stability	Material is normally stable at room temperature and pressure. See Section 7 for further details.
10.3. Passivity of hazardous reactions	Will not occur. Stable under normal conditions.
10.4. Conditions to avoid	Do not expose to excessive heat, ignition sources, or oxidizing materials. Avoid contact with strong caustic agents.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide and alkyl mercaptans and sulfides may also be released. Other potential decomposition products: sulfur acids.
11. TOXICOLOGICAL INFORMATION	
11.1. Information on toxicological effects	
Toxicological information on main components of the mixture:	
Acute Toxicity of base oils	Acute oral/rat LD ₅₀ > 5000 mg/kg Acute dermal/rabbit LD ₅₀ > 2000 mg/kg Acute inhalation/rat LC ₅₀ > 5000 mg/m ³
Distillates (petroleum), hydrotreated heavy paraffines	Acute oral/rat LD ₅₀ > 5000 mg/kg Acute dermal/rabbit LD ₅₀ > 2000 mg/kg Acute inhalation 4 h/rat LC ₅₀ > 5000 mg/m ³
Acute Toxicity of zinc dialkyl dithiophosphate	Acute skin/rat LD ₅₀ > 2000 mg/kg Acute oral/rat LD ₅₀ = 2230 mg/kg
Acute Toxicity of the mixture	Based on available data, the classification criteria are not met. Products have not been tested. Evaluation has been made through data of components.
Skin corrosion/irritation	Not Applicable.
Serious eye damage /irritation	Causes serious eye irritation.
Respiratory or skin sensitization	Not Applicable

Масло G-Profi MSH 10W-40Revision 0
Revision date 20.08.2015

Carcinogenicity	This product contains mineral oils which are severely refined and not considered to be carcinogenic under IARC. All components in this product have been passed the test IP346 (DMSO extractible compounds less than 3%).
Germ cell mutagenicity	Not Applicable
Reproductive toxicity	Not Applicable
STOT-single exposure	Not Applicable
STOT-repeated exposure	Not Applicable
Aspiration hazard	Not considered an aspiration hazard.

12. ECOLOGICAL INFORMATION

12.1. Toxicity	Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
-----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Info (toxicity)
60-65%	Base oil - unspecified - lubricating oils	CAS: 74869-22-0 - EINECS: 278-012-2	EL ₅₀ a) Aquatic acute toxicity Daphnia Magna > 10000 mg/L 48h NOELR a) Aquatic acute toxicity Algae > 100 mg/L 72h LL ₅₀ a) Aquatic acute toxicity Fish > 100 mg/L 96h NOELR b) Aquatic chronic toxicity Daphnia Magna = 10 mg/L 21 days NOELR b) Aquatic chronic toxicity Fish = 10 mg/L
25-35%	Distillates (petroleum), hydrotreated heavy paraffines	CAS: 64742-54-7 EINECS: 265-157-1	Aquatic acute toxicity Algae >100 mg/l 72h (OECD 201) Aquatic acute toxicity Daphnia >100 mg/l 48h (OECD 202) Aquatic acute toxicity Fish >1000 mg/l 96h OECD (203)

12.2. Persistence and degradability	Base oil - unspecified - lubricating oils: non-readily biodegradable Zinc dialkyl dithiophosphate: non-readily biodegradable Distillates (petroleum), hydrotreated heavy paraffines: non-readily biodegradable.
12.3. Bio accumulative potential	No data is available on this product.
12.4. Mobility in soil	Product floats on water (insoluble) and can entrap small organisms. The product could easily disperse in soil. Products have not been tested. Evaluation has been made through data of components.
12.5. Results of PBT and vPvB assessment	No PBT ingredients are present.
12.6. Other adverse effects	No Components with environmental hazard properties found.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods	
Disposal methods	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company.
Disposal of packaging	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
Further information	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

Масло G-Profi MSH 10W-40

Revision 0

Revision date 20.08.2015

14.1. UN number	Not applicable.
14.2. UN proper shipping name	ADR-Shipping Name: not applicable. IATA-Technical name: not applicable. IMDG-Technical name: not applicable.
14.3. Transport hazard class(es)	ADR-Class: not applicable. IATA-Class: not applicable. IMDG-Class: not applicable.
14.4. Packing group	Not applicable.
14.5. Environmental hazards 14.6. Special precautions for user	Not applicable.
ADR/RID	The product is not classified as dangerous for carriage.
IMDG	The product is not classified as dangerous for carriage.
IATA	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
15. REGULATORY INFORMATION	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU)2015/830 Provisions related to directive EU 2012/18 (Seveso III): German Water Hazard Class. - N.A. Product non subject to Regulations. Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: No.
Chemical safety assessment	No data available on this product.
16. OTHER INFORMATION	
Text of Hazard statements in Section 3	H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H360 F May damage fertility. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Масло G-Profi MSH 10W-40

Revision 0

Revision date 20.08.2015

Legend to abbreviations and acronyms used in the safety data sheet:	<p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society).</p> <p>CLP: Classification, Labeling, Packaging.</p> <p>DMSO: Dimethyl sulfoxide.</p> <p>EC₅₀: Half Maximal Effective Concentration.</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances.</p> <p>IATA: International Air Transport Association.</p> <p>Air Transport Association" (IATA).</p> <p>IATA-DGR: Dangerous Goods Regulation by the "International</p> <p>LD₅₀: Lethal Dose to 50 % of a test population.</p> <p>LC₅₀: Lethal Concentration to 50 % of a test population.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>STOT: Specific Target Organ Toxicity.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>WEL: Workplace Exposure Limit.</p>
----------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Classification and procedure used to derived the classification for mixture according to Regulation EC 1272/2006 (CLP)

Classification according to Regulation EC 1272/2006 (CLP)	Classification procedure
H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.	Calculation method.

Further information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
Revision	New version