



**SAFETY DATA SHEET**  
according to 1907/2006/EC, Article 31

Page 1/4

**Maslo Gazpromneft Diesel Premium 10W-40**

Revision 0  
Revision date 14.12.12

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY**

<b>Product name</b>	Maslo Gazpromneft Diesel Premium 10W-40
<b>Description</b>	Motor oil
<b>Company</b>	“Gazpromneft – lubricants”, Ltd, 125A, Profsoyuznaya str., Moscow, 117647, Russia. <a href="mailto:Lubricants@gazprom-neft.ru">Lubricants@gazprom-neft.ru</a>
<b>Telephone</b>	+7 495 642-99-69 (between 9 AM and 6 PM Moscow time)
<b>Fax</b>	+7 495 642-99-69
<b>Emergency telephone number</b>	1-760-476-3962 (America) 1-760-476-3961 (Europe, Middle East&Africa) 1-760-476-3960 (Asia Pacific): Global Response Access Code: 333497
<b>Only Representative</b>	KPMG Advisory N.V. Handelsregisternummer 33263682 Laan van Langerhuize 1 1186 DS AMSTELVEEN THE NETHERLANDS Tel: +31 20 656 45 21 Mob: +31 6 50 74 93 56 Fax: +31 20 656 45 10 Chris Bonnet Consultant, KPMG Sustainability Member of KPMG Global Sustainability ServicesTM <a href="mailto:bonnet.christophers@kpmg.nl">bonnet.christophers@kpmg.nl</a>

**2. HAZARDS IDENTIFICATION**

<b>Main hazards</b>	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
---------------------	--

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Hazardous ingredients</b>						
<b>Chemical Name</b>	<b>Index No.</b>	<b>CAS</b>	<b>EINECS</b>	<b>REACH Registration Number</b>	<b>Conc. (% w/w)</b>	<b>Classification</b>
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601-36-0023	80-85	DMSO < 3% (IP 346)
Phosphorodithioic acid, mixed O,O-bis (1, 3-dimethylbutyl and iso-Pr) esters, zinc salts			283-392-8	01-2119493626-26	0.5-1.5	N Xi R38 R41 R51/53
Olefin sulfide			Confidentiality Pending	Not Available	0.1-1.0	None. R52/53
Dodecylphenol, mixed isomers (branched)			310-154-3	Not Available	0-0.5	N Xn R38 R50/53 R62

**Maslo Gazpromneft Diesel Premium 10W-40**Revision 0  
Revision date 14.12.12

<b>4. FIRST AID MEASURES</b>	
<b>Skin contact</b>	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothes. Seek medical advice if irritation or symptoms persist. Repeated or prolonged exposure may cause dermatitis.
<b>Eye contact</b>	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical advice if irritation or symptoms persist.
<b>Inhalation</b>	May cause irritation to mucous membranes. Move the exposed person to fresh air. If symptoms persist seek medical assistance.
<b>Ingestion</b>	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Rinse mouth with water. Seek medical assistance immediately.
<b>5. FIRE-FIGHTING MEASURES</b>	
<b>Extinguishing media</b>	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO <sub>2</sub> ); dry chemical; foam; sand; water spray). Do not use: water jet.
<b>Fire hazards</b>	Burning produces irritating, toxic and obnoxious fumes.
<b>Protective equipment</b>	Wear suitable respiratory equipment when necessary.
<b>6. ACCIDENTAL RELEASE MEASURES</b>	
<b>Personal precautions</b>	Ensure adequate ventilation of the working area. Surfaces contaminated with the product will become slippery.
<b>Environmental precautions</b>	Do not allow product to enter drains. Prevent further spillage if safe.
<b>Clean up methods</b>	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.
<b>7. HANDLING AND STORAGE</b>	
<b>Handling</b>	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.
<b>Storage</b>	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
<b>8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>	
<b>Exposure limits</b>	Oil mist: 5 mg/m <sup>3</sup>
<b>Engineering measures</b>	Ensure adequate ventilation of the working area.
<b>Hand protection</b>	Chemical resistant gloves (PVC).
<b>Eye protection</b>	In case of splashing, wear: approved safety goggles.
<b>Protective equipment</b>	Wear protective clothing.
<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>	
<b>Description</b>	Homogenous, viscous liquid with a slight characteristic mineral oil odor.
<b>Flash point</b>	> 205 °C (Cleveland Open Cup)
<b>Viscosity</b>	> 14,0-15,5 (at 100 °C, mm <sup>2</sup> /s)
<b>Solubility</b>	Insoluble in water; soluble in hydrocarbons

**Maslo Gazpromneft Diesel Premium 10W-40**Revision 0  
Revision date 14.12.12

<b>10. STABILITY AND REACTIVITY</b>	
<b>Stability</b>	Stable under normal conditions. Will not decompose if stored and used as recommended.
<b>11. TOXICOLOGICAL INFORMATION</b>	
<b>Acute Toxicity</b>	No data available on this product.
<b>Skin corrosion/irritation</b>	Prolonged or repeated exposure may cause irritation to skin and mucous membranes.
<b>Serious eye damage /irritation</b>	No irritation expected.
<b>Respiratory or skin sensitisation</b>	The product has not been tested. Evaluation has been made through data of components.
<b>Carcinogenicity</b>	The product has not expected to be carcinogenic. It has not been tested; evaluation has been made through data of components.
<b>12. ECOLOGICAL INFORMATION</b>	
<b>Ecotoxicity</b>	The material is toxic for aquatic organisms. It has not been tested. Evaluation has been made through the data of components.
<b>Persistence and degradability</b>	This material is not easily biodegradable. The product has not been tested.
<b>Mobility in soil</b>	Do not let product contaminate subsoil.
<b>13. DISPOSAL CONSIDERATIONS</b>	
<b>General information</b>	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company.
<b>Disposal methods</b>	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
<b>14. TRANSPORT INFORMATION</b>	
<b>ADR/RID</b>	The product is not classified as dangerous for carriage.
<b>IMDG</b>	The product is not classified as dangerous for carriage.
<b>IATA</b>	The product is not classified as dangerous for carriage.
<b>15. REGULATORY INFORMATION</b>	
<b>Labelling</b>	The product is classified in accordance with EEC/67/548 and EEC/1999/45
<b>Risk phrases</b>	R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
<b>16. OTHER INFORMATION</b>	
<b>Text of risk phrases in Section 3</b>	R38 – Irritating to skin. R41 – Risk of serious damage to eyes. R62 – Possible risk of impaired fertility. R50/53 – Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 – Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b>General information</b>	Base oils passed the test IP 346 (DMSO extractible compounds less than 3%).

**Maslo Gazpromneft Diesel Premium 10W-40**

Revision 0

Revision date 14.12.12

**Further information**

The information supplied in this Safety Data Sheet Is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

**Revision**

New version