



**SAFETY DATA SHEET**  
according to 1907/2006/EC, Article 31

Page 1/7

**Масло Gazpromneft Compressor S Synth-46**

Revision 0

Revision date 01.06.2015

<b>1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY</b>	
<b>1.1. Product Identifier</b>	
<b>Product name</b>	Масло Gazpromneft Compressor S Synth-46
<b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b>	
<b>Description</b>	Compressor oil
<b>1.3. Details of the supplier of the safety data sheet</b>	“Gazpromneft – lubricants”, Ltd, 125A, Profsoyuznaya str., Moscow, 117647, Russia. <a href="mailto:Lubricants@gazprom-neft.ru">Lubricants@gazprom-neft.ru</a> Tel. +7 495 642-99-69 (between 9 AM and 6 PM Moscow time) Fax +7 495 921-48-63
<b>Only Representative</b>	REACHLaw Ltd. Vänrikinkuja 3 JK 21 Espoo FI-02600 Finland Tel. +358(0) 9 412 3055 Email: <a href="mailto:sds@reachlaw.fi">sds@reachlaw.fi</a>
<b>1.4. Emergency telephone number</b>	1-760-476-3962 (America) 1-760-476-3961 (Europe, Middle East&Africa) 1-760-476-3960 (Asia Pacific): Global Response Access Code: 333497
<b>2. HAZARDS IDENTIFICATION</b>	
<b>2.1. Classification of the substance or mixture</b>	
<b>Main hazards</b>	No Significant Hazard
<b>2.2. Label elements:</b>	
<b>Regulation (EC) No 1272/2008 (CLP):</b>	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Special Provisions: EUH210: Safety data sheet available on request.
<b>Adverse physicochemical, human health and environmental effects:</b>	No other hazards
<b>Ingredient(s) with unknown acute toxicity:</b>	None
<b>2.3 Other hazards</b>	
	No Significant Hazard
<b>Further information</b>	
	This substance/mixture does not meet the PBT/vPvB criteria of REACH, annex XIII.
<b>3. COMPOSITION/INFORMATION ON INGREDIENTS</b>	
<b>3.1 Substances</b>	
	Not applicable: this product is regulated as a mixture.

## Масло Gazpromneft Compressor S Synth-46

Revision 0

Revision date 01.06.2015

### 3.2 Mixtures (EC) No 1272/2008

Chemical Name	Index.No	CAS No	EC No	Reach Registration Number	Conc. (%w/w)	Classification
Base oil - unspecified - lubricating oils	649-484-00-0	74869-22-0	278-012-2	01-2119495601-36-0023	60-70	Product is not classified
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	-	72623-87-1	276-738-4	Proprietary	30-35	Product is not classified
Reaction products of Benzeneamine, N-phenyl-with nonene (branched)	-	-	253-249-4	01-2119488911-28	0.1-0.5	Aquatic Chronic 4 H413

#### Description

	All base oils contained in this product have a value of < 3% w DMSO extract according to IP 346/92.
--	---

#### Further information

	Full text for all Hazard statements, mentioned in this section, are displayed in Section 16.
--	--

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove casualty to fresh air and keep warm and at rest.
<b>Eye contact</b>	Wash immediately with water.
<b>Skin contact</b>	Wash with plenty of water and soap.
<b>Ingestion</b>	Do not induce vomiting, get medical attention showing the SDS and label hazardous.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	No further relevant information available.
<b>Eye contact</b>	No further relevant information available.
<b>Skin contact</b>	No further relevant information available.
<b>Ingestion</b>	No further relevant information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

	Seek medical attention if irritation or symptoms persist
--	--

### 5. FIRE-FIGHTING MEASURES

<b>5.1. Extinguishing media</b>	Use extinguishing media appropriate to the surrounding fire conditions (carbon dioxide (CO <sub>2</sub> ); dry chemical; foam; sand; water spray). Extinguishing media which must not be used for safety reasons: none in particular.
<b>5.2. Special hazards arising from the substance or mixture</b>	Burning produces irritating, toxic and obnoxious fumes. Combustion products highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and unidentified organic compounds will be evolved when this material undergoes combustion.

## Масло Gazpromneft Compressor S Synth-46

Revision 0

Revision date 01.06.2015

<b>5.3. Advice for firefighters</b>	Wear suitable respiratory equipment when necessary. Do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.
<b>6. ACCIDENTAL RELEASE MEASURES</b>	
<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
<b>6.2. Environmental precautions</b>	Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.
<b>6.3. Methods and material for containment and cleaning up</b>	Use appropriate techniques such as applying noncombustible absorbent materials or pumping. Sweep up. Transfer to suitable, labeled containers for disposal. Clean spillage area thoroughly with plenty of water.
<b>6.4. Reference to other sections</b>	See also section 8 and 13
<b>7. HANDLING AND STORAGE</b>	
<b>7.1. Precautions for safe handling</b>	Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working. See also section 8 for recommended protective equipment.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Stored in correctly labeled containers.
<b>7.3. Specific end use(s)</b>	No further relevant information available.
<b>8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>	
<b>8.1. Control parameters</b>	
<b>Base oil - unspecified - lubricating oils</b>	WEL 8-hr limit mg/m <sup>3</sup> : 5.4 (aerosol)
<b>8.2. Exposure controls</b>	
<b>8.2.1. Appropriate engineering controls</b>	Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation or adequate ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.
<b>8.2.2. Individual protection measures:</b>	Wear protective clothing. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
<b>Eye/face protection</b>	Eye protection: Safety Glasses.
<b>Skin protection-Hand protection</b>	Wear suitable gloves. Wash hands after handling the product.

## Масло Gazpromneft Compressor S Synth-46

Revision 0

Revision date 01.06.2015

<b>Respiratory protection</b>	Use in ventilated area. Use respirator with a combination organic vapor and high efficiency filter cartridge just if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
<b>Hygienic and Technical measures</b>	Wash thoroughly after handling this product. Do not eat, drink or smoke when using this product.
<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>	
<b>Appearance</b>	Homogenous, viscous liquid
<b>Odour</b>	Petroleum odor
<b>pH</b>	Not applicable
<b>Pour point</b>	< - 25 °C
<b>Initial boiling point and boiling range</b>	Not applicable
<b>Flash point</b>	> 200 °C (Cleveland Open Cup, ASTM D 92)
<b>Evaporation rate</b>	Not applicable
<b>Upper/lower flammability</b>	184 °C / 227 °C
<b>Vapour density</b>	Not applicable
<b>Vapour pressure</b>	<0.01 kPa
<b>Relative density</b>	Not determined
<b>Solubility in water</b>	Insoluble
<b>Partition coefficient: n-octanol/water</b>	Not determined
<b>Auto-ignition temperature</b>	> 339 °C
<b>Decomposition temperature</b>	Not applicable
<b>Viscosity (at 40 °C)</b>	41,40 – 50,60 mm <sup>2</sup> /s (ASTM D 445)
<b>Explosive properties</b>	Not applicable
<b>Oxidizing properties</b>	Not determined
<b>Volatile Organic compounds - VOCs</b>	Not applicable
<b>Other information</b>	
<b>Miscibility</b>	Not applicable
<b>Conductivity</b>	Not applicable
<b>10. STABILITY AND REACTIVITY</b>	
<b>10.1. Reactivity</b>	This product has no significant hazards with respect to reactivity. Stable under normal conditions
<b>10.2. Chemical stability</b>	Stable under normal conditions. Will not decompose if stored and used as recommended.
<b>10.3. Passivity of hazardous reactions</b>	Will not occur. Stable under normal conditions.
<b>10.4. Conditions to avoid</b>	Elevated temperatures, sparks and open flames.
<b>10.5. Incompatible materials</b>	Strong oxidizing agents.
<b>10.6. Hazardous decomposition products</b>	Burning produces irritating, toxic and obnoxious fumes.

## Масло Gazpromneft Compressor S Synth-46

Revision 0

Revision date 01.06.2015

### 11. TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

<b>Acute Toxicity</b>	No data available on this product.
<b>Acute Toxicity of base oils</b>	Acute oral/rat LD <sub>50</sub> > 5000 mg/kg Acute dermal/rabbit LD <sub>50</sub> > 2000 mg/kg Acute inhalation/rat LC <sub>50</sub> > 5000 mg/m <sup>3</sup>
<b>Skin corrosion/irritation</b>	Prolonged or repeated exposure may cause irritation to skin and mucous membranes.
<b>Serious eye damage /irritation</b>	The product has not been tested. Evaluation has been made through data of components.
<b>Respiratory or skin sensitization</b>	The product has not been tested. Evaluation has been made through data of components.
<b>Carcinogenicity</b>	The product is not carcinogenic. Evaluation has been made through data of components. Base oils passed the test IP 346 (DMSO extractible compounds less than 3%) (Note H, L).
<b>Germ cell mutagenicity</b>	Not Applicable
<b>Reproductive toxicity</b>	Not Applicable
<b>STOT-single exposure</b>	Not Applicable
<b>STOT-repeated exposure</b>	Not Applicable
<b>Aspiration hazard</b>	Not Applicable

### 12. ECOLOGICAL INFORMATION

<b>12.1. Toxicity</b>	Adopt good working practices, so that the product is not released into the environment.
-----------------------	---

#### List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
> 90 %	Base oil - unspecified - lubricating oils	CAS: 74869-22-0 EINECS: 278-012-2	EL <sub>50</sub> a) Aquatic acute toxicity Daphnia Magna > 10000 mg/L 48h NOELR a) Aquatic acute toxicity Algae > 100 mg/L 72h LL <sub>50</sub> a) Aquatic acute toxicity Fish > 100 mg/L 96h NOELR b) Aquatic chronic toxicity Daphnia Magna = 10 mg/L 21 days NOELR b) Aquatic chronic toxicity Fish = 10 mg/L
0.1-0.5 %	Reaction products of Benzeneamine, N-phenyl- with nonene (branched)	EINECS: 253-249-4	LC <sub>50</sub> (Zebra Fish, 4 d): > 100 mg/l EC <sub>50</sub> (Water flea (Daphnia magna), 2 d): > 100 mg/l EC <sub>50</sub> (Sludge, 0.1 d): > 1,000 mg/l

<b>12.2. Persistence and degradability</b>	No date is available on this product.
<b>12.3. Bio accumulative potential</b>	No date is available on this product.
<b>12.4. Mobility in soil</b>	No date is available on this product.
<b>12.5. Results of PBT and vPvB assessment</b>	No PBT Ingredients are present.
<b>12.6. Other adverse effects</b>	No components with environmental hazard properties.

**Масло Gazpromneft Compressor S Synth-46**

Revision 0

Revision date 01.06.2015

<b>13. DISPOSAL CONSIDERATIONS</b>	
<b>13.1. Waste treatment methods</b>	
<b>Disposal methods</b>	Dispose of in compliance with all local and national regulations. Contact a licensed waste disposal company.
<b>Disposal of packaging</b>	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
<b>Further information</b>	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
<b>14. TRANSPORT INFORMATION</b>	
Not classified as dangerous in the meaning of transport regulations.	
<b>14.1. UN number</b>	Not applicable.
<b>14.2. UN proper shipping name</b>	Not applicable.
<b>14.3. Transport hazard class(es)</b>	Not applicable.
<b>14.4. Packing group</b>	Not applicable.
<b>14.5. Environmental hazards</b>	Marine pollutant: No Environmental Pollutant: No
<b>14.6. Special precautions for user</b>	Not applicable.
<b>ADR/RID</b>	The product is not classified as dangerous for carriage.
<b>IMDG</b>	The product is not classified as dangerous for carriage.
<b>IATA</b>	The product is not classified as dangerous for carriage.
<b>15. REGULATORY INFORMATION</b>	
<b>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Dispositions about directives 82/501/CE, 96/82/CE (Seveso bis), 2003/15/CE (Seveso ter): German Water Hazard Class. - N.A. Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: None
<b>Chemical safety assessment</b>	No data available on this product.
<b>16. OTHER INFORMATION</b>	
<b>Text of Hazard statements in Section 3</b>	H413- May cause long lasting harmful effects to aquatic life

**Масло Gazpromneft Compressor S Synth-46**

Revision 0

Revision date 01.06.2015

<b>Legend to abbreviations and acronyms used in the safety data sheet:</b>	<p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>CAS: Chemical Abstracts Service (division of the American Chemical Society).</p> <p>CLP: Classification, Labeling, Packaging.</p> <p>DMSO: Dimethyl sulfoxide.</p> <p>EC<sub>50</sub>: Half Maximal Effective Concentration.</p> <p>EINECS: European Inventory of Existing Commercial Chemical Substances.</p> <p>IATA: International Air Transport Association.</p> <p>IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).</p> <p>LD<sub>50</sub>: Lethal Dose to 50 % of a test population.</p> <p>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>WEL: Workplace Exposure Limit.</p>
<b>Further information</b>	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
<b>Revision</b>	New version